

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(phase near4 printer) and (speed near4 control) and web and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L2	0	(phase near4 printer) and ((speed near4 signal) near20 (cutter or cutting or blade)) and web and "83"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L3	0	(phase near4 printer) and ((speed near4 signal) near20 (cutter or cutting or blade)) and web and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L4	0	(phase near4 printer) and ((signal) near20 (cutter or cutting or blade)) and web and "83"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L5	0	("cut-and-space") near3 printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L6	0	("cut and space") near10 printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L7	0	(diaper or undergarment) and ("cut and space")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L8	0	(label) and ("cut and space")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12

EAST Search History

L9	178	paragon.asn. and trade.asn. and diaper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L10	1	("6075178").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/18 12:12
L11	1	("5003876").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/18 12:12
L12	1	("5897541").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/18 12:12
L13	1	(phase near4 printer) and ((signal) near20 (cutter or cutting or blade)) and web and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L14	1	("cut-and-space") and web and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L15	5	(phase near4 signal) and (printing or printer) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L16	5	(phase near4 signal) and ((wet or wetness) and (detector or indicator)) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L17	52	((wet or wetness) near10 (detector or indicator)) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L18	5	L9 and phase and indicator and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12

EAST Search History

L19	5	(phase near4 signal) and (speed near4 signal) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L20	9	((("4955265") or ("5130290") or ("5235515") or ("5286543") or ("5383988") or ("5766389") or ("6297424") or ("6307119") or ("6558499")).PN.	USPAT	OR	OFF	2006/09/18 12:12
L21	29	(phase near4 signal) and (speed near4 signal) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L22	40	(phase near4 control) and (speed near4 control) and web and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L23	5	(phase near4 printer) and (speed near4 control) and web and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L24	43	(phase near4 signal) and (speed near4 signal) and "83"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L25	80	(83/361).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L26	88	(83/362).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12

EAST Search History

L27	24	(phase near4 signal) and ((signal) near20 (cutter or cutting or blade)) and web and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L28	27	(phase near4 signal) and ((signal) near20 (cutter or cutting or blade)) and web and "83"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L29	10	(phase near4 signal) and ((signal) near20 (cutter or cutting or blade)) and web and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L30	25	(phase near4 signal) and ((signal) near20 (cutter or cutting or blade)) and (diaper or undergarment or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L31	74	(156/64.ccls. or 156/353.ccls. or 156/361.ccls.) and (diaper or undergarment or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L32	108	(rotary near10 print\$3) and (print\$2 near4 cylinder) and (diaper or undergarment or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L33	12	(rotary near10 print\$3) and (print\$2 near4 cylinder) and (diaper or undergarment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L34	65	(print\$2 near4 cylinder) and (diaper or undergarment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12

EAST Search History

L35	105	(print\$3 near4 rotary) and (diaper or undergarment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L36	2	((("5897541") or ("6075175")).PN.	US-PGPUB; USPAT	OR	OFF	2006/09/18 12:12
L37	56	(inductance near4 sensor) same (phase near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L38	10	(diaper or undergarment) and (label near3 applicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L39	5	(print\$2 near4 cylinder) and (idle near4 speed) and shutdown	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L40	2	("6,075,178").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L41	2	(phase near4 signal) and ((wet or wetness) near10 (detector or indicator)) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L42	2	("cut-and-space") near10 printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L43	2	(diaper or undergarment) and ("cut-and-space")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12

EAST Search History

L44	21	(print\$2 near4 cylinder) and (idle near4 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L45	2	(phase near4 encoder) and (line near4 encoder) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L46	10	(phase near4 encoder) and (line near4 encoder) and (diaper or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L47	178	paragon.asn. and trade.asn. and diaper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L48	112	(phase near4 signal) and (speed near4 signal) and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L49	128	(101/481).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L50	124	(83/363).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L51	146	(rotary near10 print) and (diaper or undergarment or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12

EAST Search History

L52	313	(101/486).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L53	229	(83/76).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L54	356	(diaper or undergarment) and ((indicator or graphic or image) near5 wetness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L55	376	(83/399).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L56	353	(83/400).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L57	387	(rotary) and (diaper or undergarment) and (graphic or image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L58	526	(diaper or undergarment) and ((indicator) and wetness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L59	628	(101/484).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12

EAST Search History

L60	603	(101/485).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L61	667	(diaper or undergarment) and ((indicator or graphic or image) and wetness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L62	1028	(156/361).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L63	1505	(156/64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L64	3176	phase and printer and (motor) and speed and signal and graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L65	3	phase same printer same (motor) same speed same signal same graphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L66	0	phase and (diaper with graphic with printer) and (motor with speed with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L67	0	phase and (diaper with graphic with printer) and (motor with speed I)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12

EAST Search History

L68	0	phase and (diaper with graphic with printer) and (motor with speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L69	0	phase and (diaper with graphic with printer) and (motor with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L70	0	phase and (diaper with graphic with printer) and (motor with enocder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L71	0	phase and (diaper with printer) and (motor with enocder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L72	0	phase and (graphic with printer) and (motor with enoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L73	2	phase and (graphic with printer) and (motor with encoder) and diaper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L74	112	phase and (graphic with printer) and (motor with encoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L75	1036	printer and (speed near4 control) and web and (position with control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12

EAST Search History

L76	159	(118/674).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 12:12
L77	17	(phase near4 printer) and (web with speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L78	1	(phase with printer) and (diaper with speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:19
L79	1	(phase near4 printer) and (diaper with speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L80	1	(phase near4 cutter) and (diaper with speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L81	48	("0815495" "2110112" "2942789" "3526162" "3623667" "3645453" "3712545" "3877334" "4019686" "4116097" "4140038" "4266112" "4328726" "4440345" "4509686" "4567796" "4594924" "4620466" "4735566" "4787178" "4875254" "4876934" "4903559" "4913044" "4931140" "4962568" "4966059" "5031496" "5083487" "5161305" "5199342" "5269211" "5295425" "5330103" "5339715" "5365816" "5576091").PN. OR ("6101912").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 12:12

EAST Search History

L82	61	("4264957" "4279369" "4361269" "4415978" "4426898" "4449433" "4669344" "4680205" "4719575" "4719855" "4736446" "4737904" "4757930" "4781090" "4795510" "4837715" "4847775" "4955265" "4961149" "4994975" "5016182" "5045135" "5119725" "5235515" "5249139" "5286543" "Re35067").PN. OR ("5659538").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 12:12
L83	0	(phase near4 printer1) and (speed near4 control) and (main with drive with velocity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:12
L84	9	("4837715" "5045135" "5068799" "5286543" "5359525" "5659538" "6236429" "6404910" "6565686").PN. OR ("6888083").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 12:12
L85	0	graphic.clm. and print.clm. and cylinder.clm. and phase.clm. and difference.clm. and angle.clm. and target.clm. and machinery.clm. and angular.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:22
L86	2	graphic.clm. and line.clm. and speed.clm. and applicator.clm. and phase.clm. and difference.clm. and main.clm. and drive.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:22